

PATENT
112171-004.A
(Formerly TARINFO.016A)

LISTING OF CLAIMS

1-56 (PREVIOUSLY CANCELLED).

57. (CURRENTLY AMENDED) A real-time, interactive method of building a contact list on a computer network based on selected criteria, the method comprising:

interactively generating a list specification in real-time, comprising[:]

interactively specifying on a server a geographically defined area for which a contact list is desired including receiving user input via a user device in communication with the server via a network, and

interactively specifying on the server [selecting a product from a plurality of products and] a threshold score for selecting records for inclusion in the contact list [the product] including receiving user input via the user device in communication with the server via the network;

[transmitting the list specification over the computer network to a server having a memory;]

building the contact list on the server in real-time based on the list specification; and

transmitting the contact list to a user-specified node on the [computer] network if one or more characteristics of the contact list are approved by [a] the user.

58. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein the characteristics of the contact list include a number of names/records on the contact list, the list specification for the contact list and a cost of the contact list.

59. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein interactively generating a list specification in real-time further comprises interactively selecting additional data from a list of data appendable to the contact list.

PATENT
112171-004.A
(Formerly TARINFO.016A)

60. (PREVIOUSLY PRESENTED) The method defined in Claim 57, additionally comprising:

storing the list specification in a memory; and

rebuilding the contact list at a predetermined future time based on the stored list specification.

61. (PREVIOUSLY PRESENTED) The method defined in Claim 60, wherein the stored list specification corresponds to a selected business location of a multiple location business.

62. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein building the contact list on the server in real-time comprises building the contact list from a database stored in random access memory.

63. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, or universal resource locator.

64. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein interactively generating a list specification in real-time is performed on a user specification node on the computer network.

65. (PREVIOUSLY PRESENTED) The method defined in Claim 64, wherein the user specification node and the user-specified node are different nodes on the computer network.

66. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein the contact list comprises a household list, a business list or an individual list.

67. (PREVIOUSLY PRESENTED) The method defined in Claim 57, additionally comprising transmitting a message to electronic addresses listed in the contact list transmitted to the user-specified node.

PATENT
112171-004.A
(Formerly TARINFO.016A)

68. (PREVIOUSLY PRESENTED) The method defined in Claim 57, wherein the contact list is subject to one of the following restrictions: read-only usage, one-time usage, or unlimited usage.

69. (CURRENTLY AMENDED) A system for interactively generating a contact list in real-time based on selected criteria, the system comprising:

a server connected to a network[;], the server having

means for interactively generating a list specification in real-time via a user device in communication with the server via the network, [;

means for transmitting the list specification to the server via the network;]

means for building a contact list on the server in real-time based on the list specification; and

means for transmitting the contact list to a user-specified node on the network if one or more characteristics of the contact list are approved by a user.

70. (PREVIOUSLY PRESENTED) The system defined in Claim 69, wherein the means for interactively generating a list specification comprises:

means for interactively specifying a geographically defined area for which the contact list is desired; and

means for interactively selecting a product from a plurality of products and a threshold score for the product.

71. (PREVIOUSLY PRESENTED) The system defined in Claim 69, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, or universal resource locator.

72. (PREVIOUSLY PRESENTED) The system defined in Claim 69, wherein the means for interactively generating a list specification in real-time includes a user specification node on the network.

PATENT
112171-004.A
(Formerly TARINFO.016A)

73. (PREVIOUSLY PRESENTED) The system defined in Claim 72, wherein the user specification node and the user-specified node are different nodes on the network.

74. (PREVIOUSLY PRESENTED) The system defined in Claim 69, wherein the contact list comprises a household list, a business list or an individual list.

75. (CURRENTLY AMENDED) A computer system for interactively building a contact list in real-time based on selected criteria, the system comprising:

a user specification process module running on a server and configured to receive user input via a user device in communication with the server via a network so as to interactively generate a list specification in real-time interactively specifying a geographically defined area for which a contact list is desired [including receiving user input];

a geography list process module configured to receive the list specification and to generate a list of selected geography codes in real-time based on the list specification;

a list select and data append process module configured to generate an intermediate list in real-time based on the list of selected geography codes and the list specification; and

a contact item lookup process module configured to build a contact list in real-time based on the intermediate list.

76. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein a server transmits the contact list to a user-specified node on a communication network if one or more characteristics of the contact list are approved by a user.

77. (PREVIOUSLY PRESENTED) The system defined in Claim 76, wherein the characteristics of the contact list include a number of records on the contact list, the list specification for the contact list, and a cost of the contact list.

78. (PREVIOUSLY PRESENTED) The system defined in Claim 76, additionally comprising a client device connected to the communication network, wherein the client device comprises the user-specified node.

PATENT
112171-004.A
(Formerly TARINFO.016A)

79. (PREVIOUSLY PRESENTED) The system defined in Claim 76, wherein the user-specified node transmits a message to electronic addresses on the communication network listed in the contact list.

80. (PREVIOUSLY PRESENTED) The system defined in Claim 76, wherein the contact list is subject to one of the following restrictions: read-only usage, one-time usage, or unlimited usage.

81. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the geography list process module, the list select and data append process module, and the contact item lookup process module are executed in real-time on a server having a memory.

82. CANCELLED

83. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the user specification process module accesses one of a plurality of geo-demographic profiles and a mapping database or a geography name database.

84. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the geography list process module accesses a geography equivalency file.

85. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the list select and data append process module accesses a product score table and a geography index.

86. (PREVIOUSLY PRESENTED) The system defined in Claim 85, wherein the list select and data append process module further accesses a geo-demographic directory, a geography to spatial coordinate database, a list database, and a demographic attributes database based on the geography index.

87. (PREVIOUSLY PRESENTED) The system defined in Claim 86, wherein the spatial coordinates of the geography to spatial coordinate database comprise interleaved latitude and longitude pairs.

PATENT
112171-004.A
(Formerly TARINFO.016A)

88. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the contact item lookup process module accesses an address coding guide and a name database.

89. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the geography codes are a hierarchical component of a zip code.

90. (PREVIOUSLY PRESENTED) The system defined in Claim 81, wherein the memory includes random access memory configured to store at least one database so as to facilitate the real-time execution of the process modules.

91. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, network address or universal resource locator.

92. (PREVIOUSLY PRESENTED) The system defined in Claim 75, wherein the contact list comprises a household list, a business list or an individual list.

93. (PREVIOUSLY PRESENTED) A real-time method of building a contact list on a computer network based on selected criteria, the method comprising:

receiving user input via a user device in communication with a server via a network during a communication session so as to generate a list specification in real-time, comprising

receiving user input to specify a geographically defined area for which a contact list is desired, and

receiving user input to select a [product] characteristic from a plurality of characteristics [products] and a threshold score for the characteristic [product];

[transmitting the list specification over the computer network to a server having a memory;]

building the contact list [on the server] in real-time based on the list specification;

and

PATENT
112171-004.A
(Formerly TARINFO.016A)

transmitting the contact list to a user-specified node on the computer network if one or more characteristics of the contact list are approved by a user.

94. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein the characteristics of the contact list include a number of names/records on the contact list, the list specification for the contact list and a cost of the contact list.

95. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein receiving user input so as to generate a list specification in real-time further comprises receiving additional data from a list of data appendable to the contact list.

96. (PREVIOUSLY PRESENTED) The method defined in Claim 93, additionally comprising:

storing the list specification in a memory; and

rebuilding the contact list at a predetermined future time based on the stored list specification.

97. (PREVIOUSLY PRESENTED) The method defined in Claim 96, wherein the stored list specification corresponds to a selected business location of a multiple location business.

98. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein building the contact list on the server in real-time comprises building the contact list from a database stored in random access memory.

99. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, or universal resource locator.

100. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein receiving user input so as to generate a list specification in real-time is performed on a user specification node on the computer network.

PATENT
112171-004.A
(Formerly TARINFO.016A)

101. (PREVIOUSLY PRESENTED) The method defined in Claim 100, wherein the user specification node and the user-specified node are different nodes on the computer network.

102. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein the contact list comprises a household list, a business list or an individual list.

103. (PREVIOUSLY PRESENTED) The method defined in Claim 93, additionally comprising transmitting a message to electronic addresses listed in the contact list transmitted to the user-specified node.

104. (PREVIOUSLY PRESENTED) The method defined in Claim 93, wherein the contact list is subject to one of the following restrictions: read-only usage, one-time usage, or unlimited usage.

105. (CURRENTLY AMENDED) A real-time system for building a contact list based on selected criteria, the system comprising:

means for receiving user input via a user device in communication with a server via a network during a communication session so as to generate a list specification at the server in real-time, comprising

means for receiving user input to specify a geographically defined area for which a contact list is desired, and

means for receiving user input to select a [product] characteristic from a plurality of [products] characteristics and a threshold score for the [product] characteristics;

[means for transmitting the list specification over a computer network to a server having a memory;]

means for building the contact list [on the server] in real-time based on the list specification; and

means for transmitting the contact list to a user-specified node on the computer network if one or more characteristics of the contact list are approved by a user.

PATENT
112171-004.A
(Formerly TARINFO.016A)

106. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the characteristics of the contact list include a number of names/records on the contact list, the list specification for the contact list and a cost of the contact list.

107. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the means for receiving user input so as to generate a list specification in real-time further comprises means for receiving additional data from a list of data appendable to the contact list.

108. (PREVIOUSLY PRESENTED) The system defined in Claim 105, additionally comprising:

means for storing the list specification in a memory; and

means for rebuilding the contact list at a predetermined future time based on the stored list specification.

109. (PREVIOUSLY PRESENTED) The system defined in Claim 108, wherein the stored list specification corresponds to a selected business location of a multiple location business.

110. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the means for building the contact list on the server in real-time comprises means for building the contact list from a database stored in random access memory.

111. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, or universal resource locator.

112. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the means for receiving user input so as to generate a list specification in real-time comprises a user specification node on the computer network.

PATENT
112171-004.A
(Formerly TARINFO.016A)

113. (PREVIOUSLY PRESENTED) The system defined in Claim 112, wherein the user specification node and the user-specified node are different nodes on the computer network.

114. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the contact list comprises a household list, a business list or an individual list.

115. (PREVIOUSLY PRESENTED) The system defined in Claim 105, additionally comprising means for transmitting a message to electronic addresses listed in the contact list transmitted to the user-specified node.

116. (PREVIOUSLY PRESENTED) The system defined in Claim 105, wherein the contact list is subject to one of the following restrictions: read-only usage, one-time usage, or unlimited usage.

117. (CURRENTLY AMENDED) A real-time method of building a contact list on a computer network based on selected criteria, the method comprising:

receiving user input via a user device in communication with a server via a network during a communication session so as to generate a list specification in real-time, comprising

receiving user input to specify a location and radius defined area for which a contact list is desired, and

receiving user input to select a product from a plurality of products and a threshold score for the product;

transmitting the list specification over the computer network to a server having a memory;

building the contact list on the server in real-time based on the list specification; and

transmitting the contact list to a user-specified node on the computer network if one or more characteristics of the contact list are approved by a user.

PATENT
112171-004.A
(Formerly TARINFO.016A)

118. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein the characteristics of the contact list include a number of names/records on the contact list, the list specification for the contact list and a cost of the contact list.

119. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein receiving user input so as to generate a list specification in real-time further comprises receiving additional data from a list of data appendable to the contact list.

120. (PREVIOUSLY PRESENTED) The method defined in Claim 117, additionally comprising:

storing the list specification in a memory; and

rebuilding the contact list at a predetermined future time based on the stored list specification.

121. (PREVIOUSLY PRESENTED) The method defined in Claim 120, wherein the stored list specification corresponds to a selected business location of a multiple location business.

122. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein building the contact list on the server in real-time comprises building the contact list from a database stored in random access memory.

123. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, or universal resource locator.

124. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein receiving user input so as to generate a list specification in real-time is performed on a user specification node on the computer network.

PATENT
112171-004.A
(Formerly TARINFO.016A)

125. (PREVIOUSLY PRESENTED) The method defined in Claim 124, wherein the user specification node and the user-specified node are different nodes on the computer network.

126. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein the contact list comprises a household list, a business list or an individual list.

127. (PREVIOUSLY PRESENTED) The method defined in Claim 117, additionally comprising transmitting a message to electronic addresses listed in the contact list transmitted to the user-specified node.

128. (PREVIOUSLY PRESENTED) The method defined in Claim 117, wherein the contact list is subject to one of the following restrictions: read-only usage, one-time usage, or unlimited usage.

129. (CURRENTLY AMENDED) A real-time method of building a contact list on a computer network based on selected criteria, the method comprising:

receiving user input via a user device in communication with a server via a network during a communication session so as to generate a list specification in real-time, comprising

receiving user input to specify a polygon defined area for which a contact list is desired, and

receiving user input to select a [product] characteristic from a plurality of [products] characteristics and a threshold score for the [product] characteristic;

transmitting the list specification over the computer network to a server having a memory;

building the contact list on the server in real-time based on the list specification;

and

transmitting the contact list to a user-specified node on the computer network if one or more characteristics of the contact list are approved by a user.

PATENT
112171-004.A
(Formerly TARINFO.016A)

130. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein the characteristics of the contact list include a number of names/records on the contact list, the list specification for the contact list and a cost of the contact list.

131. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein receiving user input so as to generate a list specification in real-time further comprises receiving additional data from a list of data appendable to the contact list.

132. (PREVIOUSLY PRESENTED) The method defined in Claim 129, additionally comprising:

storing the list specification in a memory; and
rebuilding the contact list at a predetermined future time based on the stored list specification.

133. (PREVIOUSLY PRESENTED) The method defined in Claim 132, wherein the stored list specification corresponds to a selected business location of a multiple location business.

134. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein building the contact list on the server in real-time comprises building the contact list from a database stored in random access memory.

135. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein the contact list comprises a plurality of records, and wherein one of the records includes at least one of the following: physical address, electronic address, telephone number, facsimile number, Internet Protocol address, pager number, or universal resource locator.

136. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein receiving user input so as to generate a list specification in real-time is performed on a user specification node on the computer network.

PATENT
112171-004.A
(Formerly TARINFO.016A)

137. (PREVIOUSLY PRESENTED) The method defined in Claim 136, wherein the user specification node and the user-specified node are different nodes on the computer network.

138. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein the contact list comprises a household list, a business list or an individual list.

139. (PREVIOUSLY PRESENTED) The method defined in Claim 129, additionally comprising transmitting a message to electronic addresses listed in the contact list transmitted to the user-specified node.

140. (PREVIOUSLY PRESENTED) The method defined in Claim 129, wherein the contact list is subject to one of the following restrictions: read-only usage, one-time usage, or unlimited usage.